EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20020091852".pn.	US-PGPUB	AND	ON	2008/01/22 09:38
L2	10326	(remote with (file or data or database) with access)	USPAT	AND	ON	2008/01/22 09:38
L3	468	(remote with (file or data or database) with access) NFS	USPAT	AND	ON	2008/01/22 09:38
L4	518	(remote with (file or data or database) with access) (NFS or SMB)	USPAT	AND	ON	2008/01/22 09:38
L5	64	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA)	USPAT	AND	ON	2008/01/22 09:38
L6	60	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) not Microsoft.as.	USPAT	AND	ON	2008/01/22 09:38
L7	41	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) (distributed with file with system) not Microsoft.as.	USPAT	AND	ON	2008/01/22 09:38
L8	41	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) (distributed with file with system) "I/O" not Microsoft.as.	USPAT	AND	ON	2008/01/22 09:38
L9	41	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) (distributed with file with system) "I/O"	USPAT	AND	ON	2008/01/22 09:38
L10	9	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) (distributed with file with system) "I/O" RDMA	USPAT	AND	ON	2008/01/22 09:38
L11	25	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) (distributed with file with system) "I/O" RDMA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L12	93	(remote with (file or data or database) with access) "I/O" RDMA	USPAT	AND	ON	2008/01/22 09:38
L13	302	(remote with (file or data or database) with access) "I/O" RDMA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

EAST Search History

L14	48	(remote with (file or data or database) with access) "I/O" RDMA (SMB or CIFS)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L15	3891	(remote with (file or data or database) with access) "I/O" (RDMA or channel or pipe)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L16	21	(remote with (file or data or database) with access) "I/O" (RDMA or channel or pipe) client server (network with discovery) processing SMB CIFS	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L17	5	(remote with (file or data or database) with access) "I/O" (RDMA or channel or pipe) client server (network with discovery) processing SMB CIFS RDMA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L18	56	(remote with (file or data or database) with access) "I/O" (RDMA or channel or pipe) client server discovery processing SMB CIFS	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L19	24	(remote with (file or data or database) with access) "I/O" (RDMA or channel or pipe) client server discovery processing SMB CIFS not Bowman$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L20	8454	(709/211,217 or 707/10).ccls.	USPAT	AND	ON	2008/01/22 09:38
L21	1434	(709/211,217 or 707/10).ccls. (I/O with process$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L22	150	(709/211,217 or 707/10).ccls. (I/O with process$3) discovery	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L23	81	(709/211,217 or 707/10).ccls. (I/O with process$3) discovery (RDMA or channel or pipe)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

L24	74	(709/211,217 or 707/10).ccls. (I/O with process$3) discovery (RDMA or channel or pipe) not bowman$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L25	949	buffer same credit	USPAT	AND	ON	2008/01/22 09:38
L26	74	(709/211,217 or 707/10).ccls. (I/O with process$3) discovery (RDMA or channel or pipe) not bowman$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L27	653	(buffer same credit) not (credit adj card)	USPAT	AND	ON	2008/01/22 09:38
L28	4685	"711"/$.ccls. (DMA or RDMA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L29	11997	709/201,203,212,213,216219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L30	33	"711"/$.ccls. RDMA ((I/O or input/output) with off$load$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L31	136	"711"/$.ccls. RDMA (I/O or input/output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L32	146	"711"/$.ccls. RDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L33	117	"711"/$.ccls. RDMA (client or user) server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

L34	94	"711"/$.ccls. RDMA client server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L35	42418	"711"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L36	35	"711"/$.ccls. RDMA (I/O or input/output) discover$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L37	1	RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS SMB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L38	12	RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L39	11	RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS pipelin$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L40	11	RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS pipelin$3 credit$3 request response authenticat$3 register channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L41	11	RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS pipelin$3 credit$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

L42	99	709/201,203,212,213,216,219.ccls. RDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L43	16	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L44	21	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L45	15832	709/201,203,212,213,216,219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L46	19	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L47	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send) SMB CIFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L48	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L49	21	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

L50	21	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L51	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send) SMB CIFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L52	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) SMB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L53	4	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L54	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send) SMB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L55	16	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L56	3	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) (RDMA with channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L57	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) (RDMA with channel) (SMB or CIFS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

L58	3	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) (RDMA with channel) (SMB or CIFS or TCP or TCP/IP, or IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L59	207	Pandya.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L60	3	Pandya.in. (high with RDMA).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L61	4	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send) CIFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L62	64	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA)	USPAT	AND	ON	2008/01/22 09:38
L63	518	(remote with (file or data or database) with access) (NFS or SMB)	USPAT	AND	ON	2008/01/22 09:38
L64	1	"20020091852".pn.	US-PGPUB	AND	ON	2008/01/22 09:38
L65	93	(remote with (file or data or database) with access) "I/O" RDMA	USPAT	AND	ON	2008/01/22 09:38
L66	41	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) (distributed with file with system) "I/O" not Microsoft.as.	USPAT	AND	ON	2008/01/22 09:38
L67	60	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) not Microsoft. as.	USPAT	AND	ON	2008/01/22 09:38
L68	41	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) (distributed with file with system) "I/O"	USPAT	AND	ON	2008/01/22 09:38

L69	25	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) (distributed with file with system) "I/O" RDMA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L70	41	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) (distributed with file with system) not Microsoft. as.	USPAT	AND	ON	2008/01/22 09:38
L71	302	(remote with (file or data or database) with access) "I/O" RDMA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L72	9	(remote with (file or data or database) with access) (NFS or SMB) (DMA or RDMA) (distributed with file with system) "I/O" RDMA	USPAT	AND	ON	2008/01/22 09:38
L73	56	(remote with (file or data or database) with access) "I/O" (RDMA or channel or pipe) client server discovery processing SMB CIFS	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L74	48	(remote with (file or data or database) with access) "I/O" RDMA (SMB or CIFS)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L75	3891	(remote with (file or data or database) with access) "I/O" (RDMA or channel or pipe)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L76	21	(remote with (file or data or database) with access) "I/O" (RDMA or channel or pipe) client server (network with discovery) processing SMB CIFS	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L77	5	(remote with (file or data or database) with access) "I/O" (RDMA or channel or pipe) client server (network with discovery) processing SMB CIFS RDMA	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L78	94	"711"/$.ccls. RDMA client server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

L79	24	(remote with (file or data or database) with access) "I/O" (RDMA or channel or pipe) client server discovery processing SMB CIFS not Bowman$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L80	468	(remote with (file or data or database) with access) NFS	USPAT	AND	ON	2008/01/22 09:38
L81	949	buffer same credit	USPAT	AND	ON	2008/01/22 09:38
L82	74	(709/211,217 or 707/10).ccls. (I/O with process$3) discovery (RDMA or channel or pipe) not bowman$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L83	11997	709/201,203,212,213,216219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L84	33	"711"/$.ccls. RDMA ((I/O or input/output) with off$load$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L85	136	"711"/$.ccls. RDMA (I/O or input/output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L86	146	"711"/$.ccls. RDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L87	117	"711"/$.ccls. RDMA (client or user) server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L88	42418	"711"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

L89	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send) SMB CIFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L90	35	"711"/$.ccls. RDMA (I/O or input/output) discover$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L91	1	RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS SMB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L92	11	RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS pipelin$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L93	11	RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS pipelin$3 credit$3 request response authenticat$3 register channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L94	653	(buffer same credit) not (credit adj card)	USPAT	AND	ON	2008/01/22 09:38
L95	4685	"711"/$.ccls. (DMA or RDMA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L96	19	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L97	15832	709/201,203,212,213,216,219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

L98	21	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L99	21	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L100	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) SMB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L101	4	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L102	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send) SMB	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L103	16	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L104	3	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) (RDMA with channel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L105	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) (RDMA with channel) (SMB or CIFS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

L106	3	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) (RDMA with channel) (SMB or CIFS or TCP or TCP/IP, or IP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L107	207	Pandya.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L108	3	Pandya.in. (high with RDMA).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L109	4	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send) CIFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L110	8454	(709/211,217 or 707/10).ccls.	USPAT	AND	ON	2008/01/22 09:38
L111	12	RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L112	11	RDMA ((I/O or input/output) with off$load$3) discover$3 (read with RDMA) (write with send) CIFS pipelin$3 credit$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L113	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send) SMB CIFS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L114	1434	(709/211,217 or 707/10).ccls. (I/O with process$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38

L115	99	709/201,203,212,213,216,219.ccls. RDMA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L116	1	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L117	16	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) discover$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L118	21	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L119	74	(709/211,217 or 707/10).ccls. (I/O with process$3) discovery (RDMA or channel or pipe) not bowman$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L120	150	(709/211,217 or 707/10).ccls. (I/O with process$3) discovery	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L121	81	(709/211,217 or 707/10).ccls. (I/O with process$3) discovery (RDMA or channel or pipe)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L122	4	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send) CIFS discover$3 ((buffer same credit) not (credit adj card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38
L123	10326	(remote with (file or data or database) with access)	USPAT	AND	ON	2008/01/22 09:38

L124	4	709/201,203,212,213,216,219.ccls. RDMA ((I/O or input/output) with off$load$3) (read with RDMA) (write with send) CIFS discover$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/22 09:38